

09/995204

IEEE Xplore Search - 01-08-05

(character <or> symbol) <near/3> (quality <or> deterior* <or> distort* <or> acceptable) <and> (database
<or> template <or> dictionary)

<near/3> (quality <or> deterior* <or> distort* <or> acceptable) <near/3> (analy* <or> measur* <or>
assess*)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|--|------------------|---------|------------------|
| L1 | 2173 | (recognition or matching) near3 (verif\$7) | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:30 |
| L2 | 23 | 1 and (382/112,217,218).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:18 |
| L3 | 630 | (candidate\$1 or tentative) near3 (verif\$7) | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:12 |
| L4 | 104 | 3 and ("382"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:33 |
| L5 | 7 | 3 and (382/112,217,218).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:23 |
| L6 | 99 | ((recognition or matching or classification) adj2 result\$1) near3 (verif\$7) | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:31 |
| L7 | 41 | 6 and ("382"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:22 |
| L8 | 2 | 6 and (382/112,217,218).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:23 |
| L9 | 39 | 7 not 8 | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:23 |
| L10 | 44 | ((recogni\$6 or classif\$7) with character\$1 with (template\$1 or dictionary\$3)) same verif\$7 | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:41 |
| L11 | 35 | 10 and ("382"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:34 |
| L12 | 9 | ((recogni\$6 or classif\$7) with (character\$1 near2 (standard or reference))) same verif\$7 | US-PGPUB; USPAT | OR | OFF | 2005/01/10 09:42 |
| L13 | 3 | ("5561720" "5949906" "6035059").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/10 09:50 |
| S1 | 139893 | (compar\$4 or similar\$6 or match\$3) near3 (letter\$1 or character\$1 or symbol\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:28 |
| S2 | 89230 | S1 near4 (database or standard or reference or candidate or predetermined or library or dictionary) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:09 |
| S3 | 129912 | (compar\$4 or similar\$6 or match\$3) near3 (letter\$1 or character\$1 or symbol\$1) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 15:03 |

| | | | | | | |
|-----|--------|---|----------------------------------|----|-----|------------------|
| S4 | 87220 | S3 near4 (database or standard or reference or candidate or predetermined or library or dictionary) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 15:18 |
| S5 | 20611 | (character\$1 or symbol\$1 or letter\$1) near3 (good or suitable or acceptable or correct or sufficient or quality) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:07 |
| S6 | 141 | S4 same S5 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 15:23 |
| S7 | 3656 | (character\$1 or symbol\$1 or letter\$1) near3 (blur\$4 or distort\$4) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:03 |
| S8 | 21 | S4 same S7 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:03 |
| S9 | 26903 | (character\$1 or symbol\$1 or letter\$1 or text) near3 (good or suitable or acceptable or correct or sufficient or quality or blur\$4 or distort\$4) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:21 |
| S10 | 810296 | (character\$1 or symbol\$1 or letter\$1 or text) near4 (database or standard or reference or candidate or predetermined or library or dictionary) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:27 |
| S11 | 268 | (382/112).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:10 |
| S12 | 14 | S9 and S10 and S11 | US-PGPUB; USPAT | OR | OFF | 2005/01/08 16:10 |
| S13 | 1019 | (character\$1 or symbol\$1 or letter\$1 or text) near3 (deteriorat\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:48 |
| S14 | 3 | S13 and S10 and S11 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:15 |
| S15 | 0 | S14 not S12 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:15 |
| S16 | 8954 | (character\$1 or symbol\$1 or letter\$1 or text) near3 (good or suitable or acceptable or correct or sufficient or quality or blur\$4 or distort\$4 or deteriorat\$3) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:21 |
| S17 | 22851 | (character\$1 or symbol\$1 or letter\$1 or text) near4 (database or standard or reference or candidate or predetermined or library or dictionary) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:29 |
| S18 | 1120 | S16 and S17 | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:28 |

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| S19 | 9981 | (compar\$4 or similar\$6 or match\$3) near3 (letter\$1 or character\$1 or symbol\$1) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:28 |
| S20 | 2010 | S19 near4 (database or standard or reference or candidate or predetermined or library or dictionary) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:29 |
| S21 | 199 | S16 and S20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:29 |
| S22 | 1202 | (character\$1 or symbol\$1 or letter\$1 or text) near3 (legible or illegible) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:48 |
| S23 | 0 | S22 and S10 and S11 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/08 16:48 |
| S24 | 53 | second adj2 (template or character) adj2 matching | US-PGPUB; USPAT | OR | OFF | 2005/01/08 17:02 |
| S25 | 29 | (cascaded or hierarchical) adj template adj matching | US-PGPUB; USPAT | OR | OFF | 2005/01/08 17:07 |